

# APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... AUG 13 1981

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... AUG 13 1981 under 44288

The applicant..... PINE TREE, INC.

1111 SUITE W LAS VEGAS BLVD. SOUTH....., of LAS VEGAS,.....  
Street and No. or P.O. Box No. City or TownNEVADA 89104....., hereby makeS application for permission to appropriate the public  
State and Zip Code No.waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
tion; if a copartnership or association, give names of members.) DATE OF INCORPORATION WAS

AUGUST 11, 1980 IN LAS VEGAS, CLARK COUNTY, NEVADA

1. The source of the proposed appropriation is..... UNDERGROUND  
Name of stream, lake or other source.2. The amount of water applied for is..... 0.5 C.F.S. ....second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for..... COMMERCIAL AND DOMESTIC  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: NE 1/4 SW 1/4 SECTION 28, T. 19 S.,

R. 57 E.; M.D.B. & M. OR AT A POINT FROM WHICH THE WEST 1/4 CORNER OF SAID SEC. 28,  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,BEARS N. 84° 38' 39" W. 2089'.  
it should be stated.6. Place of use. PORTIONS OF NE 1/4 SW 1/4 & NW 1/4 SE 1/4 & SW 1/4 NE 1/4 & SE 1/4 NE 1/4 SECTION 28, T. 19 S.,  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

R. 57 E.; M.D.B. &amp; M. SE 1/4 NW 1/4

7. Use will begin about..... JANUARY 1..... and end about..... DECEMBER 31....., of each year.  
Month and Day Month and Day8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) WELL TO UNDER GROUND SYSTEM TO INDIVIDUAL

RESIDENTS AND BUSINESSES.

State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$20,000
10. Estimated time required to construct works 2 years
- If well completed, describe works.
11. Estimated time required to complete the application to beneficial use 1 year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

CONDOMINIUMS CONTAINING 88 RESIDENCES, RESTURANT, LOUNGE, BANQUETE ROOM, SALOON, BARBER AND BEAUTY SHOP, GIFT SHOP, GAME ROOM, SPORTING GOODS STORE, WESTERN WEAR STORE, LAUNDRY MAT., CONVIENIFNCE STORE, GENERAL STORE, REALESTATE OFFICE, RIDING STABLE, SERVICE STATION, MEDICIAL CENTER, CONVENTION HALL, ICE SKATING RINK, FISHING POND, GOLD PANNING SCHOOL, PETTING ZOO.

By s/ Brent R. Woolsey AGENT  
Signature, applicant or agent  
BOX 465  
INDIAN SPRINGS, NEVADA 89018

Compared bt/bc ja/bt

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

The total combined duty of water under Permits 44288, 44289, 44292, and 44293 and any subsequent permits, if issued under Application 44290 and 44291, shall not exceed 12.01 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 12.01 million gallons annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before August 30, 1983

Proof of completion of work shall be filed before September 30, 1983

Application of water to beneficial use shall be made on or before August 30, 1986

Proof of the application of water to beneficial use shall be filed on or before September 30, 1986

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed IN TESTIMONY WHEREOF, I PETER G. MORROS  
Completion of work filed State Engineer of Nevada, have hereunto set my hand and the seal of  
Proof of beneficial use filed my office, this 30th day of AUGUST  
Cultural map filed

Certificate No. NOV 28 1984 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
218 (Rev. 9-80)  
Peter G. Morros  
State Engineer